SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Hydrofluoric Acid, 1% (w/v)

Product Number: R3816100

Other Identifying Product Numbers: R3816100-1A, R3816100-500A

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

	Hazard		
Hazard Class	Category	Statement	Precautionary Statements
Acute Toxicity - Oral	Category 3	H301	P264, P270, P301+P310, P321, P330, P405, P501
Acute Toxicity - Dermal	Category 3	H311	P280, P302+P352, P312, P321, P361, P405, P501
Acute Toxicity - Inhalation	Category 3	H331	P261, P271, P304+P340, P311, P321,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Respiratory Sensitizer	Category 1	H334	P261, P285, P304+P341, P342+P311, P501
Skin Sensitizer	Category 1	H317	P261, P272, P280, P302+P352, P332+P313,
			P321, P363, P501
Corrosive to Metals	Category 1	H290	P234, P390, P406

Product Number: R3816100 Page 1 of 12



2.2. GHS Label Elements

Pictograms:







Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product Number: R3816100 Page 2 of 12

Precautionary Statements:

Precautionary Number	Precautionary Statement	
P234	Keep only in original container.	
P260	Do not breathe dust, fumes or mist.	
P261	Avoid breathing dust, fumes or mist.	
P264	Wash arms, hands and face thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P280	Wear protective gloves and eye protection.	
P285	In case of inadequate ventilation wear respiratory protection.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.	
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P304+P341	IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.	
P311	Call a POISON CENTER or physician.	
P312	Call a POISON CENTER or physician if you feel unwell.	
P321	Specific treatment (Treat with calcium gluconate gel).	
P330	Rinse mouth.	
P332+P313	If skin irritation occurs: Get medical attention.	
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER or physician.	
P361	Take off immediately all contaminated clothing and wash it before reuse.	
P363	Wash contaminated clothing before reuse.	
P390	Absorb spillage to prevent material damage.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P406	Store in corrosive resistant container with a resistant inner liner.	
P501	Dispose of contents in accordance with local, state, federal and international regulations.	

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: R3816100 Page 3 of 12

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	99.05%
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	0.95%

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: Corrosive! Causes irritation and burns. Can cause burns that may lead to permanent impairment of vision, including blindness.

Inhalation: IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Skin contact may cause burns which

may not be immediately apparent or painful. The burns can be bone deep.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Do not induce vomiting. Give large quantity of water. Call a physician

immediately.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe burns which may not be immediately noticeable. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Use with adequate ventilation. If swallowed, do not induce vomiting. Give large quantity of water and call a physician. Wash areas of contact with plenty of water for 15 minutes. For eyes, get medical attention. First aid procedures should be pre-planned for Hydrofluoric Acid emergencies before beginning process. EYE CONTACT: Corrosive! Causes irritation and burns. Can cause burns that may lead to permanent impairment of vision, including blindness. SKIN CONTACT: Skin contact may cause burns which may not be immediately apparent or painful. The burns can be bone deep. CHRONIC EFFECTS / CARCINOGENICITY: Chronic exposures may cause mottling of teeth and bone damage and fluorosis. Symptoms of fluorosis include brittle bones, weight loss, anemia, calcified ligaments, general ill health and joint stiffness.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Treat with calcium gluconate gel).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use dry chemical, alcohol foam, or carbon dioxide for extinguishing the surrounding fire. Use water as fog in flooding quantities.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard. May react with metals to release flammable Hydrogen gas.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

Product Number: R3816100 Page 4 of 12



SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Bicarbonate or a mixture of soda ash and slaked lime (50-50). Mix and spray water cautiously. Scoop up and add slowly to a large container of water. When reaction is complete, neutralize and wash down the drain with large excess of water. Always dispose of in accordance with local, state and federal regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Do not mix with bases. Contact with water will generate heat.

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S OSHA - Final PELs - Time Weighted
				Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m³ TWA (as F)	U.S OSHA - Final PELs - Time Weighter
			2.5 mg/m³ TWA (dust)	Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings
				(TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m³ TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep

employee exposures below the Airborne Exposure Limit.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. If engineering controls do not maintain airborne

concentrations below recommended exposure limits, an approved respirator must be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves, Neoprene or PVC.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

Product Number: R3816100 Page 5 of 12



8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Chemical resistant gloves, Neoprene or PVC. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: < 2

Melting/Freezing Point: 0.0°C

Initial Boiling Point /Range: 100°C - 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.00

Solubility: Miscible

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

ExplosiveProperties: Data not available. **Oxidizing Properties:** Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

Product Number: R3816100 Page 6 of 12

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Avoid contact with metals, concrete, glass and ceramics. Contact with metals may form flammable Hydrogen gas.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Treat with calcium gluconate gel). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Toxic in contact with skin. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or physician if you feel unwell. Specific treatment (Treat with calcium gluconate gel). Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Inhalation Exposure:

Toxic if inhaled. Avoid breathing dust, fumes or mist. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician. Specific treatment (Treat with calcium gluconate gel). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LC50, Inhalation, Rat: 1276 ppm/1 H.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Treat with calcium gluconate gel). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Not applicable.

Respiratory Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Avoid breathing dust, fumes or mist. In case of inadequate ventilation wear respiratory protection. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: R3816100 Page 7 of 12

Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing dust, fumes or mist. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Treat with calcium gluconate gel). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: R3816100 Page 8 of 12



SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

UN Number: UN1790

Proper Shipping Name: Hydrofluoric Acid Solution

Hazard Class: 8 (6.1)

Packing Group:

Hazard Placard Labels:



14.2. Transportation by Air - International Air Transport Association (IATA)

UN Number: UN1790

Proper Shipping Name: Hydrofluoric Acid Solution

Hazard Class: 8 (6.1)

Packing Group:

Hazard Placard Labels:





SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Hydrofluoric Acid (CAS # 7664-39-3): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Product Number: R3816100 Page 9 of 12

15.6. Pennsylvania Right-to-Know Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard Hydrofluoric Acid (CAS # 7664-39-3): Present Hydrofluoric Acid (CAS # 7664-39-3): Present (dust) Water (CAS # 7732-18-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Hydrofluoric Acid (CAS # 7664-39-3): corrosive Hydrofluoric Acid (CAS # 7664-39-3): sn 0936 Hydrofluoric Acid (CAS # 7664-39-3): sn 3759

Hydrofluoric Acid (CAS # 7664-39-3): SN 3759 TPQ: 100 lb; SN 1014 TPQ: 500 lb (Hydrogen fluoride gas only, NJ uses UN1052 for reporting purposes)

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present Water (CAS # 7732-18-5): Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Hydrofluoric Acid (CAS # 7664-39-3): Present [T] Water (CAS # 7732-18-5): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

Product Number: R3816100 Page 10 of 12



SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Keep only in original container. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or physician if you feel unwell. Specific treatment (Treat with calcium gluconate gel). If skin irritation occurs: Get medical attention. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 3
Flammability: 0
Reactivity: 0
Special Hazard:



Product Number: R3816100 Page 11 of 12

16.4. Document Revision

Last Revision Date: 5/1/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: R3816100 Page 12 of 12