

## **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Lead Standard, 5 ppm Pb

Product Number: R4298000

Other Identifying Product Numbers: R4298000-100A, R4298000-500A

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

## 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

## 1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

## **SECTION 2: Hazard(s) Identification**

#### 2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

	Hazard		
Hazard Class	Category	Statement	Precautionary Statements
Acute Toxicity - Inhalation	Category 3	H331	P261, P271, P304+P340, P311, P321, P403+P233, P405, P501

## 2.2. GHS Label Elements

**Pictograms:** 



Signal Word: Danger

Product Number: R4298000 Page 1 of 11

#### **Hazard Statements:**

Hazard Number	Hazard Statement
H331	Toxic if inhaled.

## **Precautionary Statements:**

Precautionary Number	Precautionary Statement	
P261	Avoid breathing dust, fumes or mist.	
P271	Use only outdoors or in a well-ventilated area.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P311	Call a POISON CENTER or physician.	
P321	Specific treatment (Wash areas of contact with water immediately).	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents in accordance with local, state, federal and international regulations.	

## 2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

## 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

## **SECTION 3: Composition / Information on Ingredients**

## 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	<b>CAS Number</b>	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	99.04%
Nitric Acid	HNO₃	63.01 g/mol	7697-37-2	0.96%
Lead	Pb	207.2 g/mol	7439-92-1	0.00%

## **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

**Eye Contact:** May cause irritation, redness, pain, and tearing.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Skin Contact:** May cause slight irritation.

**Ingestion:** Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Product Number: R4298000 Page 2 of 11

## 4.2. Most Important Symptoms and Effects, Acute and Delayed

Very low levels of hazardous ingredients. Hazards are minimal at these low concentrations. May irritate eyes and skin. Wash areas of contact with water. Ingestion may cause nausea. If ingested, give large quantity of water and call a physician. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause slight irritation. CHRONIC EFFECTS / CARCINOGENICITY: Lead accumulates in bone and teeth on prolonged or repeated exposure.

## 4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water immediately).

## **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

## 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

## 5.3. Special Protective Equipment for Firefighters

Use protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

## **SECTION 6: Accidental Release Measures**

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear appropriate PPE for the size and nature of the spill. As a general rule, wear safety glasses and gloves.

## 6.2. Cleanup and Containment Methods and Materials

Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal. Do not flush to sewer. Dispose of in accordance with local regulations.

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: R4298000 Page 3 of 11



# **SECTION 8: Exposure Controls / Personal Protection**

#### 8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Lead (7439-92-1)	TWA	USA	50 μg/m³ TWA (as Pb)	U.S OSHA - Final PELs - Time Weighter
				Averages (TWAs)
Lead (7439-92-1)	TWA	USA	50 μg/m³ TWA	U.S OSHA - Final PELs - Time Weighted
				Averages (TWAs)
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m³ TWA (as Pb)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Lead (7439-92-1)	PEL	USA	30 μg/m³ Action Level (Poison, See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1025, as Pb)	Chemicals with PELs
			50 μg/m³ TWA (as Pb)	
Lead (7439-92-1)	PEL	USA	30 μg/m³ Action Level (Poison, See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1025)	Chemicals with PELs
			50 μg/m³ TWA	
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA	U.S OSHA - Final PELs - Time Weighted
			5 mg/m³ TWA	Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

## 8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequa

**Respiratory Protection:** Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

## 8.3. Personal Protective Equipment

Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: R4298000 Page 4 of 11

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: 0.0°C

Initial Boiling Point /Range: 100°C - 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.01

Solubility: Miscible

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

**ExplosiveProperties:** Data not available. **Oxidizing Properties:** Data not available.

## **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

## 10.3. Conditions to Avoid and Incompatible Materials

Strong bases

## 10.4. Hazardous Decomposition Products

Will not occur.

Product Number: R4298000 Page 5 of 11

## **SECTION 11: Toxicological Information**

## 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Toxic if inhaled. Avoid breathing dust, fumes or mist. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Acute Toxicity - Other Information:**

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), LDLo, Oral, Human: 155 mg/kg (Lead), details of toxic effects not reported other than lethal dose value.

#### **Skin Corrosion and Irritation:**

Not applicable.

#### Serious Eye Damage and Irritation:

Not applicable.

## **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

## **Germ Cell Mutagenicity:**

Not applicable.

#### Carcinogenicity:

Not applicable.

#### **Reproductive Toxicity:**

Not applicable.

#### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

#### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

Product Number: R4298000 Page 6 of 11

## **Additional Toxicology Information:**

Data not available.

## **SECTION 12: Ecological Information**

## 12.1. Ecotoxicity

Not applicable.

## 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

## 12.4. Mobility in Soil

Data not available.

## 12.5. Other Adverse Ecological Effects

Data not available.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

## **SECTION 14: Transportation Information**

## 14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

# **SECTION 15: Regulatory Information**

## 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1):  $30 \mu g/m3$  Action Level (See 29 CFR 1910.1025);  $50 \mu g/m3$  TWA (See 29 CFR 1910.1025) Lead (CAS # 7439-92-1):  $30 \mu g/m3$  Action Level (See 29 CFR 1910.1025, as Pb);  $50 \mu g/m3$  TWA (See 29 CFR 1910.1025, as Pb)

Product Number: R4298000 Page 7 of 11

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

## 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Lead (CAS # 7439-92-1): 0.01 curie final RQ; 0.00037 TBg final RQ

Lead (CAS # 7439-92-1): 1 curie final RQ; 0.037 TBg final RQ

Lead (CAS # 7439-92-1): 10 curie final RQ; 0.37 TBq final RQ

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Lead (CAS # 7439-92-1): 100 curie final RQ; 3.7 TBq final RQ Lead (CAS # 7439-92-1): 1000 curie final RQ; 37 TBq final RQ Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

#### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit (listed under Chemical Category N420)

Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze)

Lead (CAS # 7439-92-1): 100 lb RT

Lead (CAS # 7439-92-1): 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

## 15.5. Massachusetts Right-to-Know Substance List

Lead (CAS # 7439-92-1): Teratogen

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

## 15.6. Pennsylvania Right-to-Know Hazardous Substances

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): Present

Product Number: R4298000 Page 8 of 11

## 15.7. New Jersey Worker and Community Right-to-Know Components

Lead (CAS # 7439-92-1): carcinogen

Lead (CAS # 7439-92-1): carcinogen; teratogen

Lead (CAS # 7439-92-1): sn 1096

Lead (CAS # 7439-92-1): SN 1096 TPQ: 500 lb

Lead (CAS # 7439-92-1): sn 2266

Lead (CAS # 7439-92-1): SN 2266 TPQ: 500 lb (Category Code N420. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree

Nitric Acid (CAS # 7697-37-2): sn 1356

Nitric Acid (CAS # 7697-37-2): SN 1356 TPQ: 500 lb

Nitric Acid (CAS # 7697-37-2): sn 3722

Nitric Acid (CAS # 7697-37-2): SN 3722 TPQ: 500 lb (water dissociable, Category Code N511)

## 15.8. California Proposition 65

Lead (CAS # 7439-92-1): 15 µg/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, initial date 10/1/92

Lead (CAS # 7439-92-1): developmental toxicity, initial date 2/27/87

Lead (CAS # 7439-92-1): female reproductive toxicity, initial date 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, initial date 2/27/87

## 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Lead (CAS # 7439-92-1): Present

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): Present

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

Lead (CAS # 7439-92-1): Present

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): Present

## 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

Product Number: R4298000 Page 9 of 11

## **SECTION 16: Other Information**

## 16.1. Full Text of Hazard Statements and Precautionary Statements

Toxic if inhaled.

Avoid breathing dust, fumes or mist. Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately).

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.

## 16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 0
Reactivity: 0
Special Hazard:



**Product Number:** R4298000 Page **10** of **11** 

#### 16.4. Document Revision

Last Revision Date: 5/1/2015

## **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: R4298000 Page 11 of 11