



# Safety Data Sheet

## SECTION 1: Identification

### 1.1. Product Identifier

**Trade Name or Designation:** Laboratory Fortifying Stock Solution 1

**Product Number:** RLFS1

**Other Identifying Product Numbers:** RLFS1-16

### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

### 1.3. Details of the Supplier of the Safety Data Sheet

**Company:** Ricca Chemical Company

**Address:** 448 West Fork Drive  
Arlington, TX 76012 USA

**Telephone:** 888-467-4222

### 1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300  
CHEMTREC (International) 1+ 703-527-3887

## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

*For the full text of the Hazard and Precautionary Statements listed below, see Section 16.*

Hazard Class	Category	Hazard Statement	Precautionary Statements
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1C	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Specific Target Organs/Systemic Toxicity Following Single Exposure	Category 1	H370	P260, P264, P270, P307+P311, P321, P405, P501
Specific Target Organs/Systemic Toxicity Following Repeated Exposure	Category 1	H372	P260, P264, P270, P314, P501
Corrosive to Metals	Category 1	H290	P234, P390, P406



## Safety Data Sheet

### 2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.



## Safety Data Sheet

### Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe dust, fumes or mist.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to d Continue rinsing.
P307+P311	IF exposed: Call a POISON CENTER or physician.
P310	Immediately call a POISON CENTER or physician.
P314	Get medical attention if you feel unwell.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.



## Safety Data Sheet

### SECTION 3: Composition / Information on Ingredients

#### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	94.63%
Nitric Acid	HNO <sub>3</sub>	63.01 g/mol	7697-37-2	5.21%
Aluminum Nitrate Nonahydrate	Al(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	375.13 g/mol	7784-27-2	0.03%
Chromium Nitrate Nonahydrate	Cr(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	238.01 g/mol	7789-02-8	0.02%
Ammonium Dihydrogen Phosphate	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub>	97.99 g/mol	7722-76-1	0.02%
Ammonium Hexafluorosilicate (IV)	(NH <sub>4</sub> ) <sub>2</sub> SiF <sub>6</sub>	178.15 g/mol	16919-19-0	0.02%
Boric Acid	H <sub>3</sub> BO <sub>3</sub>	61.83 g/mol	10043-35-3	0.01%
Lithium Carbonate, 6Li <sub>2</sub> CO <sub>3</sub>	Li <sub>2</sub> CO <sub>3</sub>	73.89 g/mol	554-13-2	0.01%
Ammonium Hydroxide	NH <sub>4</sub> OH	35.04 g/mol	1336-21-6	0.01%
Strontium Nitrate	Sr(NO <sub>3</sub> ) <sub>2</sub>	211.62 g/mol	10042-76-9	0.01%
Barium Nitrate	Ba(NO <sub>3</sub> ) <sub>2</sub>	261.33 g/mol	10022-31-8	0.00%
Arsenic Trioxide	As <sub>2</sub> O <sub>3</sub>	197.84 g/mol	1327-53-3	0.00%
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	0.00%
Antimony Trioxide	Sb <sub>2</sub> O <sub>3</sub>	291.51 g/mol	1309-64-4	0.00%
Selenium	Se	78.95 g/mol	7782-49-2	0.00%
Zinc	Zn	65.40 g/mol	7440-66-6	0.00%
Copper	Cu	63.54 g/mol	7440-50-8	0.00%
Thallium	Tl	204.38 g/mol	7440-28-0	0.00%
Nickel	Ni	58.69 g/mol	7440-02-0	0.00%
Manganese	Mn	54.93 g/mol	7439-96-5	0.00%
Lead	Pb	207.2 g/mol	7439-92-1	0.00%
Iron	Fe	55.84 g/mol	7439-89-6	0.00%
Ammonium Molybdate	(NH <sub>4</sub> ) <sub>2</sub> MoO <sub>4</sub>	Data not available.	13106-76-8	0.00%
Vanadium	V	50.94 g/mol	7440-62-2	0.00%
Cobalt	Co	58.93 g/mol	7440-48-4	0.00%
Cadmium	Cd	112.41 g/mol	7440-43-9	0.00%
Tin	Sn	118.71 g/mol	7440-31-5	0.00%
Beryllium	Be	9.01 g/mol	7440-41-7	0.00%
Mercury	Hg	200.59 g/mol	7439-97-6	0.00%
Silver	Ag	107.86 g/mol	7440-22-4	0.00%

### SECTION 4: First-Aid Measures

#### 4.1. General First Aid Information

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.



## Safety Data Sheet

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Skin Contact:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

**Ingestion:** IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Contains low levels of known and suspected carcinogens. Corrosive Liquid. May be fatal if swallowed. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately).

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

Use water or water spray.

### 5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

### 6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

## Safety Data Sheet

### SECTION 8: Exposure Controls / Personal Protection

#### 8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Ammonium Hexafluorosilicate (IV) (16919-19-0)	TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F) 2.5 mg/m <sup>3</sup> TWA (dust)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (16919-19-0)	TLV-TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Molybdate (13106-76-8)	TWA	USA	5 mg/m <sup>3</sup> TWA (as Mo)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Molybdate (13106-76-8)	TLV-TWA	USA	0.5 mg/m <sup>3</sup> TWA (respirable fraction, as Mo)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	0.5 mg/m <sup>3</sup> TWA (as Sb)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.5 mg/m <sup>3</sup> TWA (as Sb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic Trioxide (1327-53-3)	TWA	USA	10 µg/m <sup>3</sup> TWA (as As)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic Trioxide (1327-53-3)	TLV-TWA	USA	0.01 mg/m <sup>3</sup> TWA (as As)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic Trioxide (1327-53-3)	PEL	USA	10 µg/m <sup>3</sup> TWA (Cancer hazard, See 29 CFR 1910.1018, except Arsine, as As) 5 µg/m <sup>3</sup> Action Level (as As)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Barium Nitrate (10022-31-8)	TWA	USA	0.5 mg/m <sup>3</sup> TWA (as Ba)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Barium Nitrate (10022-31-8)	TLV-TWA	USA	0.5 mg/m <sup>3</sup> TWA (as Ba)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TWA	USA	2 µg/m <sup>3</sup> TWA (as Be)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	TWA	USA	2 µg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	TLV-TWA	USA	0.00005 mg/m <sup>3</sup> TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TLV-TWA	USA	0.00005 mg/m <sup>3</sup> TWA (inhalable fraction as Be)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	PEL-Ceiling	USA	5 µg/m <sup>3</sup> Ceiling (as Be)	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	PEL-Ceiling	USA	5 µg/m <sup>3</sup> Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Boric Acid (10043-35-3)	TLV-STEL	USA	6 mg/m <sup>3</sup> STEL (inhalable fraction, listed under Borate compounds, inorganic)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Boric Acid (10043-35-3)	TLV-STEL	USA	6 mg/m <sup>3</sup> STEL (inhalable fraction)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

## Safety Data Sheet

Boric Acid (10043-35-3)	TLV-TWA	USA	2 mg/m <sup>3</sup> TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Boric Acid (10043-35-3)	TLV-TWA	USA	2 mg/m <sup>3</sup> TWA (inhalable fraction, listed under Borate compounds, inorganic)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TWA	USA	0.1 mg/m <sup>3</sup> TWA (fume, applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect) 0.2 mg/m <sup>3</sup> TWA (dust, applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect) 5 µg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m <sup>3</sup> TWA 0.002 mg/m <sup>3</sup> TWA (respirable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m <sup>3</sup> TWA (as Cd) 0.002 mg/m <sup>3</sup> TWA (respirable fraction, as Cd)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m <sup>3</sup> Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, fume) 0.6 mg/m <sup>3</sup> Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, dust)	U.S. - OSHA - Final PELs - Ceiling Limits
Cadmium (7440-43-9)	PEL	USA	5 µg/m <sup>3</sup> TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease. See 29 CFR 1910.1027) 2.5 µg/m <sup>3</sup> Action Level	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	5 µg/m <sup>3</sup> TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease. See 29 CFR 1910.1027, as Cd) 2.5 µg/m <sup>3</sup> Action Level (as Cd)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Chromium Nitrate Nonahydrate (7789-02-8)	TWA	USA	0.5 mg/m <sup>3</sup> TWA (as Cr)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)



## Safety Data Sheet

Chromium Nitrate Nonahydrate (7789-02-8)	TLV-TWA	USA	0.5 mg/m <sup>3</sup> TWA (as Cr)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TWA	USA	0.1 mg/m <sup>3</sup> TWA (dust and fume)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA (as Co)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	0.1 mg/m <sup>3</sup> TWA (fume) 1 mg/m <sup>3</sup> TWA (dust and mist)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m <sup>3</sup> TWA (fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	1 mg/m <sup>3</sup> TWA (dust and mist, as Cu)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F) 2.5 mg/m <sup>3</sup> TWA (dust)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 µg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Lead (7439-92-1)	TWA	USA	50 µg/m <sup>3</sup> TWA (as Pb)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m <sup>3</sup> TWA (as Pb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m <sup>3</sup> TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	PEL	USA	30 µg/m <sup>3</sup> Action Level (Poison, See 29 CFR 1910.1025) 50 µg/m <sup>3</sup> TWA	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Lead (7439-92-1)	PEL	USA	30 µg/m <sup>3</sup> Action Level (Poison, See 29 CFR 1910.1025, as Pb) 50 µg/m <sup>3</sup> TWA (as Pb)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA (respirable fraction) 0.1 mg/m <sup>3</sup> TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA (as Mn, listed under respirable fraction) 0.1 mg/m <sup>3</sup> TWA (as Mn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)



## Safety Data Sheet

Manganese (7439-96-5)	PEL-Ceiling	USA	5 mg/m <sup>3</sup> Ceiling (fume)	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	5 mg/m <sup>3</sup> Ceiling (as Mn)	U.S. - OSHA - Final PELs - Ceiling Limits
Mercury (7439-97-6)	TLV-TWA	USA	0.025 mg/m <sup>3</sup> TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Mercury (7439-97-6)	TLV-TWA	USA	0.025 mg/m <sup>3</sup> TWA (as Hg)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Mercury (7439-97-6)	PEL-Ceiling	USA	0.1 mg/m <sup>3</sup> Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Nickel (7440-02-0)	TWA	USA	1 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m <sup>3</sup> TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA 5 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	0.2 mg/m <sup>3</sup> TWA (as Se)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m <sup>3</sup> TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m <sup>3</sup> TWA (as Se)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	0.01 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	0.1 mg/m <sup>3</sup> TWA (dust and fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA (inhalable fraction, as Tl)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TWA	USA	2 mg/m <sup>3</sup> TWA (except oxides, as Sn)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Tin (7440-31-5)	TLV-TWA	USA	2 mg/m <sup>3</sup> TWA (except Tin hydride, as Sn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TLV-TWA	USA	2 mg/m <sup>3</sup> TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Vanadium (7440-62-2)	PEL-Ceiling	USA	0.5 mg/m <sup>3</sup> Ceiling (respirable dust, as V <sub>2</sub> O <sub>5</sub> ) 0.1 mg/m <sup>3</sup> Ceiling (fume, as V <sub>2</sub> O <sub>5</sub> )	U.S. - OSHA - Final PELs - Ceiling Limits

### 8.2. Exposure Controls

**Engineering Controls:** Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequate.



## Safety Data Sheet

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves.

**Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

## SECTION 9: Physical and Chemical Properties

### 9.1. Basic Physical and Chemical Properties

**Appearance:** Light colored liquid

**Physical State:** Liquid

**Odor:** Data not available.

**Odor Threshold:** Data not available.

**pH:** Data not available.

**Melting/Freezing Point:** Approximately 0°C

**Initial Boiling Point /Range:** Approximately 100°C - Approximately 100°C

**Flash Point:** Data not available.

**Evaporation Rate:** Data not available.

**Flammability:** Data not available.

**Flammability/Explosive Limits:** Data not available.

**Vapor Pressure:** Data not available.

**Vapor Density:** Data not available.

**Relative Density:** 1.04

**Solubility:** Miscible

**Partition Coefficient (n-Octanol/Water):** Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

**Viscosity:** Data not available.

**Explosive Properties:** Data not available.

**Oxidizing Properties:** Data not available.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.



## Safety Data Sheet

### 10.2. Possibility of Hazardous Reactions

Data not available.

### 10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders.

### 10.4. Hazardous Decomposition Products

Will not occur.

## SECTION 11: Toxicological Information

### 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Not applicable.

#### Acute Toxicity - Dermal Exposure:

Not applicable.

#### Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe dust, fumes or mist. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value. Beryllium and Nickel are investigated as tumorigens. LD50, Oral, Rat: (Antimony Trioxide) >34600 mg/kg, behavioral and skin effects noted. Antimony Trioxide is investigated as a tumorigen. LD50, Oral, Rat: 14.6 mg/kg (Arsenic Trioxide), 2330 mg/kg (Cadmium) details of toxic effects not reported other than lethal dose value.

#### Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### Respiratory Sensitization:

Not applicable.

#### Skin Sensitization:

Not applicable.



## Safety Data Sheet

**Germ Cell Mutagenicity:**

Not applicable.

**Carcinogenicity:**

Not applicable.

**Reproductive Toxicity:**

Not applicable.

**Specific Target Organ Toxicity from Single Exposure:**

Causes damage to organs. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

**Specific Target Organ Toxicity from Repeated Exposure:**

Causes damage to organs through prolonged or repeated exposure. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

**Aspiration Hazard:**

Not applicable.

**Additional Toxicology Information:**

Data not available.

### SECTION 12: Ecological Information

**12.1. Ecotoxicity**

Not applicable.

**12.2. Persistence and Degradability**

Data not available.

**12.3. Bioaccumulative Potential**

Data not available.

**12.4. Mobility in Soil**

Data not available.

**12.5. Other Adverse Ecological Effects**

Data not available.

### SECTION 13: Disposal Considerations

**13.1. Waste Treatment Methods**

Data not available.



## Safety Data Sheet

### SECTION 14: Transportation Information

#### 14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

**UN Number:** UN3264

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, n.o.s., (Nitric Acid and Hydrofluoric Acid)

**Hazard Class:** 8

**Packing Group:** III

**Hazard Placard Labels:**



#### 14.2. Transportation by Air - International Air Transport Association (IATA)

**UN Number:** UN3264

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, n.o.s., (Nitric Acid and Hydrofluoric Acid)

**Hazard Class:** 8

**Packing Group:** III

**Hazard Placard Labels:**



### SECTION 15: Regulatory Information

#### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Arsenic Trioxide (CAS # 1327-53-3): 10 µg/m<sup>3</sup> TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 µg/m<sup>3</sup> Action Level (See 29 CFR 1910.1018, except Arsine, as As)

Lead (CAS # 7439-92-1): 30 µg/m<sup>3</sup> Action Level (See 29 CFR 1910.1025); 50 µg/m<sup>3</sup> TWA (See 29 CFR 1910.1025)

Lead (CAS # 7439-92-1): 30 µg/m<sup>3</sup> Action Level (See 29 CFR 1910.1025, as Pb); 50 µg/m<sup>3</sup> TWA (See 29 CFR 1910.1025, as Pb)

Cadmium (CAS # 7440-43-9): 5 µg/m<sup>3</sup> TWA (See 29 CFR 1910.1027); 2.5 µg/m<sup>3</sup> Action Level

Cadmium (CAS # 7440-43-9): 5 µg/m<sup>3</sup> TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m<sup>3</sup> Action Level (as Cd)

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Arsenic Trioxide (CAS # 1327-53-3): 1 lb EPCRA RQ

Arsenic Trioxide (CAS # 1327-53-3): 100 lb lower TPQ; 10000 lb upper TPQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ



## Safety Data Sheet

### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Antimony Trioxide (CAS # 1309-64-4): 1000 lb final RQ; 454 kg final RQ

Arsenic Trioxide (CAS # 1327-53-3): 1 lb final RQ; 0.454 kg final RQ

Ammonium Hydroxide (CAS # 1336-21-6): 1000 lb final RQ; 454 kg final RQ

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 1000 lb final RQ; 454 kg final RQ

Iron (CAS # 7439-89-6): 0.1 curie final RQ; 0.0037 TBq final RQ

Iron (CAS # 7439-89-6): 10 curie final RQ; 0.37 TBq final RQ

Iron (CAS # 7439-89-6): 100 curie final RQ; 3.7 TBq final RQ

Lead (CAS # 7439-92-1): 0.01 curie final RQ; 0.00037 TBq final RQ

Lead (CAS # 7439-92-1): 1 curie final RQ; 0.037 TBq final RQ

Lead (CAS # 7439-92-1): 10 curie final RQ; 0.37 TBq final RQ

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100\text{ }\mu\text{m}$ ); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100\text{ }\mu\text{m}$ )

Lead (CAS # 7439-92-1): 100 curie final RQ; 3.7 TBq final RQ

Lead (CAS # 7439-92-1): 1000 curie final RQ; 37 TBq final RQ

Manganese (CAS # 7439-96-5): 10 curie final RQ; 0.37 TBq final RQ

Manganese (CAS # 7439-96-5): 100 curie final RQ; 3.7 TBq final RQ

Manganese (CAS # 7439-96-5): 1000 curie final RQ; 37 TBq final RQ

Mercury (CAS # 7439-97-6): 0.1 curie final RQ; 0.0037 TBq final RQ

Mercury (CAS # 7439-97-6): 1 lb final RQ; 0.454 kg final RQ

Mercury (CAS # 7439-97-6): 10 curie final RQ; 0.37 TBq final RQ

Mercury (CAS # 7439-97-6): 100 curie final RQ; 3.7 TBq final RQ

Mercury (CAS # 7439-97-6): 1000 curie final RQ; 37 TBq final RQ

Nickel (CAS # 7440-02-0): 10 curie final RQ; 0.37 TBq final RQ

Nickel (CAS # 7440-02-0): 100 curie final RQ; 3.7 TBq final RQ

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100\text{ }\mu\text{m}$ ); 45.4 kg final RQ (no reporting of releases of this



## Safety Data Sheet

### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (does not include Barium sulfate CAS 7727-43-7, Chemical Category N040)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511)

Strontium Nitrate (CAS # 10042-76-9): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511)

Antimony Trioxide (CAS # 1309-64-4): 1.0 % de minimis concentration (listed under Chemical Category N010)

Ammonium Molybdate (CAS # 13106-76-8): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Arsenic Trioxide (CAS # 1327-53-3): 0.1 % de minimis concentration (listed under Chemical Category N020)

Ammonium Hydroxide (CAS # 1336-21-6): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): 1.0 % de minimis concentration

Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit (listed under Chemical Category N420)

Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze)

Lead (CAS # 7439-92-1): 100 lb RT

Lead (CAS # 7439-92-1): 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)

Manganese (CAS # 7439-96-5): 1.0 % de minimis concentration

Manganese (CAS # 7439-96-5): 1.0 % de minimis concentration (listed under Chemical Category N450)

Mercury (CAS # 7439-97-6): 1.0 % Supplier notification limit

Mercury (CAS # 7439-97-6): 1.0 % Supplier notification limit (listed under Chemical Category N458)

Mercury (CAS # 7439-97-6): 10 lb RT

Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration

Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration (listed under Chemical Category N450)





## Safety Data Sheet

### 15.5. Massachusetts Right-to-Know Substance List

Barium Nitrate (CAS # 10022-31-8): Present  
Strontium Nitrate (CAS # 10042-76-9): Present  
Antimony Trioxide (CAS # 1309-64-4): Present  
Arsenic Trioxide (CAS # 1327-53-3): Extraordinarily hazardous  
Ammonium Hydroxide (CAS # 1336-21-6): Present  
Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present  
Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): Teratogen  
Lead (CAS # 7439-92-1): Teratogen  
Manganese (CAS # 7439-96-5): Present  
Mercury (CAS # 7439-97-6): Present  
Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous  
Silver (CAS # 7440-22-4): Present  
Thallium (CAS # 7440-28-0): Present  
Tin (CAS # 7440-31-5): Present  
Beryllium (CAS # 7440-41-7): Carcinogen; Extraordinarily hazardous  
Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous  
Cobalt (CAS # 7440-48-4): Present  
Copper (CAS # 7440-50-8): Present  
Vanadium (CAS # 7440-62-2): Present (dust and fume)  
Zinc (CAS # 7440-66-6): Present  
Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous  
Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous  
Selenium (CAS # 7782-49-2): Present



## Safety Data Sheet

### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): Environmental hazard  
Barium Nitrate (CAS # 10022-31-8): Present  
Strontium Nitrate (CAS # 10042-76-9): Present  
Antimony Trioxide (CAS # 1309-64-4): Environmental hazard  
Antimony Trioxide (CAS # 1309-64-4): Present  
Antimony Trioxide (CAS # 1309-64-4): Present (listed under Antimony oxide)  
Arsenic Trioxide (CAS # 1327-53-3): Environmental hazard  
Arsenic Trioxide (CAS # 1327-53-3): Environmental hazard; Special hazardous substance  
Arsenic Trioxide (CAS # 1327-53-3): Present  
Ammonium Hydroxide (CAS # 1336-21-6): Environmental hazard  
Ammonium Hydroxide (CAS # 1336-21-6): Present  
Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Environmental hazard  
Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present  
Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present (dust)  
Lead (CAS # 7439-92-1): Environmental hazard  
Lead (CAS # 7439-92-1): Present  
Manganese (CAS # 7439-96-5): Environmental hazard  
Manganese (CAS # 7439-96-5): Present  
Mercury (CAS # 7439-97-6): Environmental hazard  
Mercury (CAS # 7439-97-6): Present  
Nickel (CAS # 7440-02-0): Environmental hazard  
Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance  
Nickel (CAS # 7440-02-0): Present  
Silver (CAS # 7440-22-4): Environmental hazard  
Silver (CAS # 7440-22-4): Present  
Thallium (CAS # 7440-28-0): Environmental hazard  
Thallium (CAS # 7440-28-0): Present  
Tin (CAS # 7440-31-5): Present  
Beryllium (CAS # 7440-41-7): Environmental hazard  
Beryllium (CAS # 7440-41-7): Environmental hazard (dust); Special hazardous substance  
Beryllium (CAS # 7440-41-7): Present  
Beryllium (CAS # 7440-41-7): Present (dust)  
Cadmium (CAS # 7440-43-9): Environmental hazard  
Cadmium (CAS # 7440-43-9): Environmental hazard (dust, fume, powder); Special hazardous substance (powder)  
Cadmium (CAS # 7440-43-9): Present  
Cadmium (CAS # 7440-43-9): Present (dust, fume, powder)  
Cadmium (CAS # 7440-43-9): Present (powder)  
Cobalt (CAS # 7440-48-4): Environmental hazard  
Cobalt (CAS # 7440-48-4): E



## Safety Data Sheet

### 15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): sn 0186

Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 TPQ: 500 lb (Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure except Barium sulfate)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 TPQ: 500 lb (water dissociable, Category Code N511)

Strontium Nitrate (CAS # 10042-76-9): sn 1743

Strontium Nitrate (CAS # 10042-76-9): sn 3722

Strontium Nitrate (CAS # 10042-76-9): SN 3722 TPQ: 500 lb (water dissociable, Category Code N511)

Antimony Trioxide (CAS # 1309-64-4): carcinogen

Antimony Trioxide (CAS # 1309-64-4): sn 0149

Antimony Trioxide (CAS # 1309-64-4): sn 2223

Antimony Trioxide (CAS # 1309-64-4): SN 2223 TPQ: 500 lb (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure.)

Ammonium Molybdate (CAS # 13106-76-8): sn 0105

Arsenic Trioxide (CAS # 1327-53-3): carcinogen

Arsenic Trioxide (CAS # 1327-53-3): sn 0161

Arsenic Trioxide (CAS # 1327-53-3): SN 0161 TPQ: 100 lb

Arsenic Trioxide (CAS # 1327-53-3): sn 2138

Arsenic Trioxide (CAS # 1327-53-3): SN 2138 TPQ: 500 lb (Category Code N020. Includes any unique chemical substance that contains the named metal as part of that chemical structure. NJ uses UN1556 for reporting purposes)

Ammonium Hydroxide (CAS # 1336-21-6): corrosive

Ammonium Hydroxide (CAS # 1336-21-6): sn 0103

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): sn 0101

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): sn 0936

Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): sn 1124

Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): SN 1124 TPQ: 500 lb

Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): teratogen

Lead (CAS # 7439-92-1): carcinogen

Lead (CAS # 7439-92-1): carcinogen; teratogen

Lead (CAS # 7439-92-1): sn 1096

Lead (CAS # 7439-92-1): SN 1096 TPQ: 500 lb

Lead (CAS # 7439-92-1): sn 2266

Lead (CAS # 7439-92-



## Safety Data Sheet

### 15.8. California Proposition 65

Antimony Trioxide (CAS # 1309-64-4): carcinogen, initial date 10/1/90

Arsenic Trioxide (CAS # 1327-53-3): 0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic)

Arsenic Trioxide (CAS # 1327-53-3): carcinogen, initial date 2/27/87

Arsenic Trioxide (CAS # 1327-53-3): developmental toxicity, initial date 5/1/97

Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): developmental toxicity, initial date 1/1/91

Lead (CAS # 7439-92-1): 15 µg/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, initial date 10/1/92

Lead (CAS # 7439-92-1): developmental toxicity, initial date 2/27/87

Lead (CAS # 7439-92-1): female reproductive toxicity, initial date 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, initial date 2/27/87

Mercury (CAS # 7439-97-6): developmental toxicity, initial date 7/1/90

Nickel (CAS # 7440-02-0): carcinogen, initial date 10/1/89 (metallic)

Nickel (CAS # 7440-02-0): carcinogen, initial date 5/7/04

Beryllium (CAS # 7440-41-7): 0.1 µg/day NSRL

Beryllium (CAS # 7440-41-7): carcinogen, initial date 10/1/87

Cadmium (CAS # 7440-43-9): 0.05 µg/day NSRL (inhalation)

Cadmium (CAS # 7440-43-9): carcinogen, initial date 10/1/87

Cadmium (CAS # 7440-43-9): developmental toxicity, initial date 5/1/97

Cadmium (CAS # 7440-43-9): male reproductive toxicity, initial date 5/1/97

Cobalt (CAS # 7440-48-4): carcinogen, initial date 7/1/92 (powder)



## Safety Data Sheet

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Barium Nitrate (CAS # 10022-31-8): Present  
Strontium Nitrate (CAS # 10042-76-9): Present  
Boric Acid (CAS # 10043-35-3): Present  
Antimony Trioxide (CAS # 1309-64-4): Present  
Ammonium Molybdate (CAS # 13106-76-8): Present  
Arsenic Trioxide (CAS # 1327-53-3): Present  
Ammonium Hydroxide (CAS # 1336-21-6): Present  
Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present  
Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): Present  
Iron (CAS # 7439-89-6): Present  
Lead (CAS # 7439-92-1): Present  
Manganese (CAS # 7439-96-5): Present  
Mercury (CAS # 7439-97-6): Present  
Nickel (CAS # 7440-02-0): Present  
Silver (CAS # 7440-22-4): Present  
Thallium (CAS # 7440-28-0): Present  
Tin (CAS # 7440-31-5): Present  
Beryllium (CAS # 7440-41-7): Present  
Cadmium (CAS # 7440-43-9): Present  
Cobalt (CAS # 7440-48-4): Present  
Copper (CAS # 7440-50-8): Present  
Vanadium (CAS # 7440-62-2): Present  
Zinc (CAS # 7440-66-6): Present  
Hydrofluoric Acid (CAS # 7664-39-3): Present  
Nitric Acid (CAS # 7697-37-2): Present  
Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present  
Water (CAS # 7732-18-5): Present  
Selenium (CAS # 7782-49-2): Present  
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present  
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present



## Safety Data Sheet

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

Barium Nitrate (CAS # 10022-31-8): Present  
Strontium Nitrate (CAS # 10042-76-9): Present  
Boric Acid (CAS # 10043-35-3): Present  
Antimony Trioxide (CAS # 1309-64-4): Present  
Ammonium Molybdate (CAS # 13106-76-8): Present  
Arsenic Trioxide (CAS # 1327-53-3): Present  
Ammonium Hydroxide (CAS # 1336-21-6): Present  
Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present  
Lithium Carbonate, 6Li<sub>2</sub>CO<sub>3</sub> (CAS # 554-13-2): Present  
Iron (CAS # 7439-89-6): Present  
Lead (CAS # 7439-92-1): Present  
Manganese (CAS # 7439-96-5): Present  
Mercury (CAS # 7439-97-6): Present [S]  
Nickel (CAS # 7440-02-0): Present  
Silver (CAS # 7440-22-4): Present  
Thallium (CAS # 7440-28-0): Present  
Tin (CAS # 7440-31-5): Present  
Beryllium (CAS # 7440-41-7): Present  
Cadmium (CAS # 7440-43-9): Present  
Cobalt (CAS # 7440-48-4): Present  
Copper (CAS # 7440-50-8): Present  
Vanadium (CAS # 7440-62-2): Present  
Zinc (CAS # 7440-66-6): Present  
Hydrofluoric Acid (CAS # 7664-39-3): Present [T]  
Nitric Acid (CAS # 7697-37-2): Present  
Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present  
Water (CAS # 7732-18-5): Present  
Selenium (CAS # 7782-49-2): Present  
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present  
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.



## Safety Data Sheet

### SECTION 16: Other Information

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Keep only in original container. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes


**Canadian Carcinogenicity Hazard Class:** Not Applicable.

**Physical Hazards Not Otherwise Classified (PHNOC):** Not Applicable.

**Health Hazards Not Otherwise Classified (HHNOC):** Not Applicable.  
Not Applicable.

#### 16.3. National Fire Protection Association (NFPA) Rating

**Health:** 2  
**Flammability:** 0  
**Reactivity:** 0  
**Special Hazard:**







## Safety Data Sheet

### 16.4. Document Revision

**Last Revision Date:** 5/1/2015

### DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.