

## **SECTION 1: Identification**

## **1.1. Product Identifier**

Trade Name or Designation: Formaldehyde, 37%, ACS Reagent Grade

Product Number: RSOF0010

Other Identifying Product Numbers: RSOF0010-10F, RSOF0010-1A, RSOF0010-20F, RSOF0010-250A, RSOF0010-4A, RSOF0010-500A

## 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

## 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive Arlington, TX 76012 USA Telephone: 888-467-4222

## 1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

# **Safety Data Sheet**

## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statement	Precautionary Statements
Acute Toxicity - Oral	Category 2	H300	P264, P270, P301+P310, P321, P330, P405, P501
Acute Toxicity - Dermal	Category 1	H310	P262, P264, P270, P280, P352, P310, P321, P361, P405, P501
Acute Toxicity - Inhalation	Category 1	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Respiratory Sensitizer	Category 1	H334	P261, P285, P304+P341, P342+P311, P501
Skin Sensitizer	Category 1	H317	P261, P272, P280, P302+P352, P332+P313, P321, P363, P501
Germ Cell Mutagenicity	Category 1	H340	P201, P202, P280, P308+P313, P405, P501
Carcinogenicity	Category 1	H350	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 1	H360	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single Exposure	Category 1	H370	P260, P264, P270, P307+P311, P321, P405, P501
Specific Target Organs/Systemic Toxicity Following Repeated Exposure	Category 1	H372	P260, P264, P270, P314, P501
Flammable Liquids	Category 3	H226	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P50 <sup>-</sup>
Hazardous to the Aquatic Environment (Acute)	Category 1	H400	P273, P501

## 2.2. GHS Label Elements





## **Safety Data Sheet**

#### Hazard Statements: Hazard Number **Hazard Statement** Flammable liquid and vapor. H226 H300 Fatal if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child. H370 Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. H372 H400 Very toxic to aquatic life.

## **Safety Data Sheet**

#### **Precautionary Statements: Precautionary Number Precautionary Statement** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks and open flame. No smoking. P233 Keep container tightly closed. P240 Ground container and receiving equipment. P241 Use explosion-proof equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust, fumes or mist. P261 Avoid breathing dust, fumes or mist. P262 Do not get in eyes, on skin, or on clothing. P264 Wash arms, hands and face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. P272 P273 Avoid release to the environment. P280 Wear protective gloves and eye protection. P285 In case of inadequate ventilation wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or physician. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P303+P361+P353 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P341 IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to d Continue rinsing. P307+P311 IF exposed: Call a POISON CENTER or physician. P308+P313 IF exposed or concerned: Get medical attention. P310 Immediately call a POISON CENTER or physician. P314 Get medical attention if you feel unwell. P320 Specific treatment is urgent (Wash areas of contact with water). P321 Specific treatment (Wash areas of contact with water). P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical attention. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or physician. P352 Wash with plenty of soap and water. P361 Take off immediately all contaminated clothing and wash it before reuse.

# **Safety Data Sheet**

P363	Wash contaminated clothing before reuse.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents in accordance with local, state, federal and international regulations.	

## 2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

## 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

## **SECTION 3: Composition / Information on Ingredients**

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	48.00%
Formaldehyde	НСНО	30.02 g/mol	50-00-0	37.00%
Methyl Alcohol	CH₃OH	32.04 g/mol	67-56-1	15.00%

## **SECTION 4: First-Aid Measures**

### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness and pain. Contact may cause irreversible eye damage. Symptoms may include stinging, tearing, redness, swelling, corneal damage and blindness.

- Inhalation: IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute immediately with water or milk. Induce vomiting. Call a physicia

## 4.2. Most Important Symptoms and Effects, Acute and Delayed

Formaldehyde is a known carcinogen. Flammable liquid. May be fatal if ingested. Cannot be made non-poisonous. If ingested, give large quantity of water and induce vomiting. Call a physician. Contact may cause dryness and cracking of the skin. Causes irritation to the eyes and respiratory system. Wash areas of contact with water. EYE CONTACT: May cause irritation, redness and pain. Contact may cause irreversible eye damage.

Symptoms may include stinging, tearing, redness, swelling, corneal damage and blindness. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.



## 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water). Specific treatment (Wash areas of contact with water).

## **SECTION 5: Fire-Fighting Measures**

### 5.1. Extinguishing Media

Water spray, dry chemical, alcohol foam, polymer foam, carbon dioxide.

### 5.2. Specific Hazards Arising from the Substance or Mixture

Flammable liquid and vapor. Solutions of formaldehyde in water are considered combustible as the flammable vapors escape and form explosive mixtures with air over a wide range. (solutions)

## 5.3. Special Protective Equipment for Firefighters

Wear special protective clothing and positive pressure self-contained breathing apparatus. Butyl rubber, nitrile rubber, or Viton barrier recommended. (solutions)

## **SECTION 6: Accidental Release Measures**

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

## 6.2. Cleanup and Containment Methods and Materials

Approach release from upwind. Use water spray to cool and disperse vapors, protect personnel, and dilute spills to form nonflammable mixtures. Stop or control the leak, if this can be done without undue risk. Control runoff and isolate discharged material for proper disposal. (solutions)

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

## **Safety Data Sheet**

## **SECTION 8: Exposure Controls / Personal Protection**

### 8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Formaldehyde (50-00-0)	TWA	USA	0.75 ppm TWA	U.S OSHA - Final PELs - Time Weighter Averages (TWAs)
Formaldehyde (50-00-0)	TLV-Ceiling	USA	0.3 ppm Ceiling	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Formaldehyde (50-00-0)	PEL-STEL	USA	2 ppm STEL (see 29 CFR 1910.1048)	U.S OSHA - Final PELs - Short Term Exposure Limits
Formaldehyde (50-00-0)	PEL	USA	0.5 ppm Action Level (Irritant and potential cancer hazard, See 29 CFR 1910.1048) 0.75 ppm TWA 2 ppm STEL (15 min)	U.S OSHA - Specifically Regulated Chemicals with PELs
Methyl Alcohol (67-56-1)	TWA	USA	200 ppm TWA 260 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighter Averages (TWAs)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	250 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	200 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

## 8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection. If the exposure limit is exceeded, a full facepiece respirator equipped with organic vapor cartridge should be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. If the exposure limit is exceeded, a full facepiece respirator equipped with organic vapor cartridge should be worn. Chemical resistant gloves. Safety glasses or goggles.

## **Safety Data Sheet**

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Basic Physical and Chemical Properties

Colorless liquid	
Liquid	
Data not available.	
Data not available.	
2.8-4.0	
Data not available.	
Approximately 96°C - Approximately 96°C	
140°F	
Data not available.	
1.07	
Miscible	
Data not available.	

## **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

## 10.2. Possibility of Hazardous Reactions

Data not available.

## 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Strong oxidizing agents, alkalis, acids, phenols, urea, and

## **10.4. Hazardous Decomposition Products**

May occur when heated to decomposition.

## **Safety Data Sheet**

## **SECTION 11: Toxicological Information**

## 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Fatal if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Dermal Exposure:

Fatal in contact with skin. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and eye protection. Wash with plenty of soap and water. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe dust, fumes or mist. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Other Information:

LD50, Oral, Rat: (Methanol) 5628 mg/kg, (Formaldehyde) 100 mg/kg. Details of toxic effects not reported other than lethal dose value. LC50, Inhalation, Rat: (Formaldehyde) 203 mg/m3, peripheral nerve and behavioral effects noted. Formaldehyde is investigated as a tumorigen.

#### Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### **Respiratory Sensitization:**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Avoid breathing dust, fumes or mist. In case of inadequate ventilation wear respiratory protection. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Dispose of contents in accordance with local, state, federal and international regulations.

## **Safety Data Sheet**

#### Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing dust, fumes or mist. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Wash areas of contact with water). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

#### Germ Cell Mutagenicity:

May cause genetic defects. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Carcinogenicity:

May cause cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Reproductive Toxicity:**

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Aspiration Hazard:**

Not applicable.

#### Additional Toxicology Information:

Data not available.

## **SECTION 12: Ecological Information**

## 12.1. Ecotoxicity

Very toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.

## 12.2. Persistence and Degradability

Data not available.

## 12.3. Bioaccumulative Potential

Data not available.



## 12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

## **SECTION 13: Disposal Considerations**

## **13.1. Waste Treatment Methods**

Data not available.

## **SECTION 14: Transportation Information**

## 14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

UN Number: UN1198 Proper Shipping Name: Formaldehyde, solutions, flammable Hazard Class: 3 (8) Packing Group: Hazard Placard Labels:



## 14.2. Transportation by Air - International Air Transport Association (IATA)

UN Number: UN1198 **Proper Shipping Name:** Formaldehyde solution, flammable Hazard Class: 3 (8) Packing Group: Ш Hazard Placard Labels:



## **SECTION 15: Regulatory Information**

## 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Formaldehyde (CAS # 50-00-0): 2 ppm STEL (See 29 CFR 1910.1048, 15 min); 0.5 ppm Action Level (See 29 CFR 1910.1048); 0.75 ppm TWA (See 29 CFR 1910.1048)



**15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances** Formaldehyde (CAS # 50-00-0): 100 lb EPCRA RQ

Formaldehyde (CAS # 50-00-0): 500 lb TPQ

## 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Formaldehyde (CAS # 50-00-0): 100 lb final RQ; 45.4 kg final RQ Methyl Alcohol (CAS # 67-56-1): 5000 lb final RQ; 2270 kg final RQ

### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Formaldehyde (CAS # 50-00-0): 0.1 % de minimis concentration Methyl Alcohol (CAS # 67-56-1): 1.0 % de minimis concentration

## 15.5. Massachusetts Right-to-Know Substance List

Formaldehyde (CAS # 50-00-0): Carcinogen; Extraordinarily hazardous Methyl Alcohol (CAS # 67-56-1): Present

## 15.6. Pennsylvania Right-to-Know Hazardous Substances

Formaldehyde (CAS # 50-00-0): Environmental hazard; Special hazardous substance Formaldehyde (CAS # 50-00-0): Present Methyl Alcohol (CAS # 67-56-1): Environmental hazard Methyl Alcohol (CAS # 67-56-1): Present Water (CAS # 7732-18-5): Present

## 15.7. New Jersey Worker and Community Right-to-Know Components

Formaldehyde (CAS # 50-00-0): carcinogen; corrosive; flammable - fourth degree; mutagen Formaldehyde (CAS # 50-00-0): sn 0946 Formaldehyde (CAS # 50-00-0): SN 0946 TPQ: 500 lb Methyl Alcohol (CAS # 67-56-1): flammable - third degree; teratogen Methyl Alcohol (CAS # 67-56-1): sn 1222 Methyl Alcohol (CAS # 67-56-1): SN 1222 TPQ: 500 lb

## 15.8. California Proposition 65

Formaldehyde (CAS # 50-00-0): 40 µg/day NSRL (gas) Formaldehyde (CAS # 50-00-0): carcinogen, initial date 1/1/88 (gas) Methyl Alcohol (CAS # 67-56-1): developmental toxicity, initial date 3/16/12

## 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Formaldehyde (CAS # 50-00-0): Present Methyl Alcohol (CAS # 67-56-1): Present Water (CAS # 7732-18-5): Present

## 15.10. United States of America Toxic Substances Control Act (TSCA) List

Formaldehyde (CAS # 50-00-0): Present Methyl Alcohol (CAS # 67-56-1): Present Water (CAS # 7732-18-5): Present



### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP) Not listed.

## **SECTION 16: Other Information**

### 16.1. Full Text of Hazard Statements and Precautionary Statements

Flammable liquid and vapor. Fatal if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust, fumes or mist. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water). If skin irritation occurs: Get medical attention. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Wash contaminated clothing before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

## 16.2. Miscellaneous Hazard Classes


Canadian Carcinogenicity Hazard Class: Not Applicable. Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable. Not Applicable.

Not Applicable.



16.3. National Fire Protection Association (NFPA) Rating

Health: 3 Flammability: 2 Reactivity: 0 Special Hazard:





## 16.4. Document Revision

Last Revision Date: 5/1/2015

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.