

Product Specification

Bromothymol Blue-Phenol Red Mixed Indicator

Lot Number: SAMPLE

Product Number: 1385

Manufacture Date: N/A

Expiration Date: N/A

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Bromothymol Blue Sodium Salt	34722-90-2	ACS
Phenol Red, Sodium Salt	34487-61-1	ACS

Test	Specification	Result	NIST SRM#
Appearance	Dark colored liquid	N/A	
pH at 25°C	7.45-7.55	N/A	186 & 191
Suitability for Use	Yellow (pH < 7.5) - Violet (pH > 7.5)	N/A	

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1385-4	120 mL natural poly	24 months
1385-32	1 L natural poly	24 months
1385-16	500 mL natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)Katie Schnur
Quality Control Manager

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."