

## **Product Specification**

Sodium Hydroxide, 32% (w/v)

Lot Number: SAMPLE

Product Number: R7274200

## Manufacture Date: N/A

Expiration Date: N/A

CAS#	Grade
7732-18-5	ACS/ASTM/USP/EP
1310-73-2	Reagent
	7732-18-5

Test	Specification	$\mathbf{Result}$	NIST SRM#
Appearance	Colorless liquid	N/A	
Assay (vs. Sulfuric Acid/Phenolphthalein)	31.94-32.06 % (w/v)	N/A	723

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with  $\varepsilon$  thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
R7274200-20F	20 L Cubitainer®	36 months
R7274200-4A	4 L natural poly	36 months

**Recommended Storage**: 15°C - 30°C (59°F - 86°F)

KatietSchnin

Katie Schnur Quality Control Manager

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."