

# Product Specification

## Cobalt Chloride Hexahydrate, ACS Reagent Grade

**Lot Number:** SAMPLE

**Product Number:** RDCC0660

**Date Packaged:** N/A

**Expiration Date:** N/A

<b>Contains</b>
-----------------

CoCl<sub>2</sub>·6H<sub>2</sub>O    CAS No. 7791-13-1    MW 237.93

Test	Specification	Result
Assay	98.0-102.0 %	N/A
Calcium (Ca)	max 0.005 %	N/A
Copper (Cu)	max 0.002 %	N/A
Insoluble in Water	max 0.01 %	N/A
Iron (Fe)	max 0.005 %	N/A
Magnesium (Mg)	max 0.005 %	N/A
Nickel (Ni)	max 0.1 %	N/A
Nitrate (NO <sub>3</sub> )	max 0.01 %	N/A
Potassium (K)	max 0.01 %	N/A
Sodium (Na)	max 0.05 %	N/A
Sulfate (SO <sub>4</sub> )	max 0.01 %	N/A
Zinc (Zn)	max 0.03 %	N/A

Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document traceability and production history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
RDCC0660-500B1	500 g poly	84 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Katie Schnur  
Quality Control Manager

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."