# SIGMA-ALDRICH

sigma-aldrich.com

# SAFETY DATA SHEET

Version 4.6 Revision Date 06/27/2014 Print Date 11/10/2015

### **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Zinc sulfate heptahydrate
	Product Number Brand Index-No.	::	221376 Sigma-Aldrich 030-006-00-9
	CAS-No.	:	7446-20-0
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3 Details of the supplier of the safety data sheet			
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052
1.4	Emergency telephone num	nbe	r

#### 

Emergency Phone #	:	(314) 776-6555
-------------------	---	----------------

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s) H302 H318 H410	Harmful if swallowed. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	Wash skin thoroughly after handling.
P264	Do not eat, drink or smoke when using this product.
P270	Avoid release to the environment.
P273	Wear protective gloves/ eye protection/ face protection.
P280	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you
P301 + P312	feel unwell.

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P330	Rinse mouth.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances		
Formula	:	O <sub>4</sub> SZn ∙ 7H <sub>2</sub> O
Molecular Weight	:	287.56 g/mol
CAS-No.	:	7446-20-0
EC-No.	:	231-793-3
Index-No.	:	030-006-00-9

#### Hazardous components

Component	Classification	Concentration
Zinc sulfate heptahydrate		
	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic	-
	Chronic 1; H302, H318, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

3.1

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3** Indication of any immediate medical attention and special treatment needed no data available

#### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# 5.2 Special hazards arising from the substance or mixture Sulphur oxides, Borane/boron oxides, Zinc/zinc oxides

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

The product itself does not burn.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Components with workplace control parameters** Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: white
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	4.0 - 6.0 at 50 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: > 500 °C (> 932 °F)
f)	Initial boiling point and boiling range	no data available
g)	Flash point	not applicable
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	no data available
k)	Vapour pressure	no data available
I)	Vapour density	no data available
m)	Relative density	1.957 g/cm3 at 20 °C (68 °F)
n)	Water solubility	965 g/l at 20 °C (68 °F)
o)	Partition coefficient: n- octanol/water	no data available
p)	Auto-ignition temperature	no data available
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available

### 9.2 Other safety information Bulk density

800 - 1,000 kg/m3

#### **10. STABILITY AND REACTIVITY**

10.1 Reactivity

no data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions no data available
- **10.4 Conditions to avoid** no data available
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

#### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - rat - 2,150 mg/kg

Inhalation: no data available

Dermal: no data available

LD50 Intraperitoneal - rat - 200 mg/kg

Skin corrosion/irritation no data available

#### Serious eye damage/eye irritation

Eyes - rabbit Result: Moderate eye irritation (Draize Test)

Respiratory or skin sensitisation

no data available

## Germ cell mutagenicity

no data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

no data available

no data available

# Specific target organ toxicity - single exposure no data available

# Specific target organ toxicity - repeated exposure no data available

Aspiration hazard

#### Additional Information

RTECS: ZH5300000

Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, airway resistance, Cardiovascular effects., pulmonary edema, congestive heart failure

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish mortality LC50 - other fish - 1 - 10 mg/l - 96.0 h

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- 12.4 Mobility in soil no data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

#### DOT (US)

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc sulfate heptahydrate) Reportable Quantity (RQ): 1000 lbs Marine pollutant: Poison Inhalation Hazard: No

#### IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc sulfate heptahydrate) Marine pollutant: No

#### ΙΑΤΑ

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc sulfate heptahydrate)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

#### **15. REGULATORY INFORMATION**

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

The following components are subject to reporting levels establis	shed by SARA Title III	, Section 313:
	CAS-No.	Revision Date
Zinc sulfate heptahydrate	7446-20-0	1993-04-24
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Zinc sulfate heptahydrate	7446-20-0	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Zinc sulfate heptahydrate	7446-20-0	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Zinc sulfate heptahydrate	7446-20-0	1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Dam.	Serious eye damage
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
HMIS Rating	
Health hazard:	2
Chronic Health Haz	ard: *
	-

0
0
2
0
0

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.6

Revision Date: 06/27/2014

Print Date: 11/10/2015