SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.4 Revision Date 05/12/2014 Print Date 11/11/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 **Product identifiers** Product name

Floduct hame	
Product Number Brand Index-No. REACH No. CAS-No.	: 34856 : Sigma-Aldrich : 602-004-00-3 : 01-2119480404-41-XXXX : 75-09-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Diala la varia atla ava a

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone	-	+1 800-325-5832
Fax	-	+1 800-325-5052

1.4 **Emergency telephone number**

Emergency Phone #	:	(314) 776-6555
-------------------	---	----------------

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system, H335, H336 Specific target organ toxicity - repeated exposure, Oral (Category 2), Liver, Blood, H373 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Central nervous system, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Warning
Hazard statement(s)	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P321	Specific treatment (see supplemental first aid instructions on this label).
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances Synonyms	: Methylene chloride
Formula	: CH ₂ Cl ₂
Molecular Weight	: 84.93 g/mol
CAS-No.	: 75-09-2
EC-No.	: 200-838-9
Index-No.	: 602-004-00-3
Registration number	: 01-2119480404-41-XXXX

Hazardous components

Component	Classification	Concentration
Methylene chloride		
	Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; STOT SE 3; STOT RE 2; H315, H319, H335, H336, H351, H373, H373	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

3.1

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas
- **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.
- 5.4 Further information no data available

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- **6.2** Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Heat sensitive. Store under inert gas.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
	Remarks	Potential Occupational Carcinogen		
		See Appendix A		
Methylene chloride	75-09-2	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Central Nervous System impairment		
		Carboxyhemoglobinemia		
		Substances for which there is a Biological Exposure Index or Indices		

(see BEI® section)			
Confirmed animal carcinogen with unknown relevance to humans			
Substance listed; for more information see OSHA document			
1910.1052			
See 1910.10	52		
See Table Z-	-2		
PEL 25 ppm OSHA Specifically Regulated Chemicals/Carcinogens			
1910.1052This section applies to all occupational exposures to methylene chloride (MC), Chemical Abstracts Service Registry Number 75-09- 2, in general industry, construction and shipyard employment. Methylene chloride (MC) means an organic compound with chemical 			
chloride (MC 2, in general Methylene ch formula, CH2 75-09-2. Its r), Chemical Abstra industry, construc nloride (MC) mean	0	

Biological occupational exposure limits

Biological cocapational expectato initio							
Component	CAS-No.	Parameters	Parameters Value Biological Basis specimen				
Methylene chloride	75-09-2	Dichlorometh ane	0.3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)		
	Remarks	End of shift (As soon as possible after exposure ceases)					

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 148 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	Melting point/range: -97 °C (-143 °F)
f)	Initial boiling point and boiling range	39.8 - 40 °C (103.6 - 104 °F)
g)	Flash point	no data available
h)	Evapouration rate	0.71
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 19 %(V) Lower explosion limit: 12 %(V)
k)	Vapour pressure	470.9 hPa (353.2 mmHg) at 20.0 °C (68.0 °F)
I)	Vapour density	2.93 - (Air = 1.0)
m)	Relative density	1.325 g/mL at 25 °C (77 °F)
n)	Water solubility	slightly soluble
o)	Partition coefficient: n- octanol/water	log Pow: 1.25
p)	Auto-ignition temperature	556.1 °C (1,033.0 °F) 662.0 °C (1,223.6 °F)
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
Oth	ner safety information	
	Relative vapour density	2.93 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

no data available Sigma-Aldrich - 34856

10.2 Chemical stability

Stable under recommended storage conditions.

- **10.3** Possibility of hazardous reactions no data available
- **10.4** Conditions to avoid Heat, flames and sparks. Exposure to sunlight.

10.5 Incompatible materials Alkali metals, Aluminum, Strong oxidizing agents, Bases, Amines, Magnesium, Strong acids and strong bases, Vinyl compounds

10.6 Hazardous decomposition products Other decomposition products - no data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - > 2,000 mg/kg

LC50 Inhalation - rat - 52,000 mg/m3

LD50 Dermal - rat - > 2,000 mg/kg (OECD Test Guideline 402)

no data available

Skin corrosion/irritation

Skin - rabbit Result: Irritating to skin. - 24 h (Draize Test)

Serious eye damage/eye irritation

Eyes - rabbit Result: Irritating to eyes. - 24 h (Draize Test)

Respiratory or skin sensitisation no data available

Germ cell mutagenicity

rat DNA damage

Carcinogenicity

Carcinogenicity - rat - Inhalation Tumorigenic:Carcinogenic by RTECS criteria. Endocrine:Tumors.

Limited evidence of carcinogenicity in animal studies

Suspected human carcinogens

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Methylene chloride)

NTP: Reasonably anticipated to be a human carcinogen (Methylene chloride)

OSHA: OSHA specifically regulated carcinogen (Methylene chloride)

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Central nervous system Oral - May cause damage to organs through prolonged or repeated exposure. - Liver, Blood

Aspiration hazard

no data available

Additional Information

RTECS: PA8050000

Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood., Acts as a simple asphyxiant by displacing air., anesthetic effects, Difficulty in breathing, Headache, Dizziness, Prolonged or repeated contact with skin may cause:, defatting, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Paresthesia., Drowsiness, Convulsions, Conjunctivitis., Pulmonary edema. Effects may be delayed., Irregular breathing., Stomach/intestinal disorders, Nausea, Vomiting, Increased liver enzymes., Weakness, Heavy or prolonged skin exposure may result in the absorption of harmful amounts of material., Abdominal pain

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

 Toxicity to fish
 LC50 - Pimephales promelas (fathead minnow) - 193.00 mg/l - 96 h

 NOEC - Cyprinodon variegatus (sheepshead minnow) - 130 mg/l - 96 h

 Toxicity to daphnia and other aquatic invertebrates

 12.2
 Persistence and degradability

- no data available
- **12.3 Bioaccumulative potential** no data available
- 12.4 Mobility in soil no data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1593 Class: 6.1 Proper shipping name: Dichloromethane Reportable Quantity (RQ): 1000 lbs Marine pollutant: No Poison Inhalation Hazard: No

Packing group: III

IMDG UN number: 1593 Proper shipping name: Marine pollutant: No	Class: 6.1 DICHLOROMETHANE	Packing group: III	EMS-No: F-A, S-A	
IATA UN number: 1593 Proper shipping name:	Class: 6.1 Dichloromethane	Packing group: III		
5. REGULATORY INFORM	ATION			
REACH No.	: 01-2119480404	4-41-XXXX		
SARA 302 Componen SARA 302: No chemica		bject to the reporting rec	uirements of SARA Title III, S	Section 302.
SARA 313 Componen The following compone		ng levels established by CAS-	SARA Title III, Section 313: No. Revision Date	2
Methylene chloride		75-09		2
SARA 311/312 Hazard Acute Health Hazard, C				
Massachusetts Right	To Know Components			
Methylene chloride		CAS- 75-09		;
Pennsylvania Right T	o Know Components			
Methylene chloride		CAS- 75-09		÷
New Jersey Right To	Know Components			
		CAS-		Э
Methylene chloride		75-09	9-2 2007-07-01	
California Prop. 65 Co WARNING! This produ- State of California to ca Methylene chloride	ct contains a chemical kr	nown to the CAS- 75-09		9

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

HMIS Rating

Health hazard:	
Chronic Health Hazard:	*
Flammability:	0
Physical Hazard	0
NFPA Rating	
Health hazard:	

Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4

Revision Date: 05/12/2014

Print Date: 11/11/2015