sigma-aldrich.com

# SAFETY DATA SHEET

Version 4.7 Revision Date 03/04/2015 Print Date 11/11/2015

# **1. PRODUCT AND COMPANY IDENTIFICATION**

| 1.1 | Product identifiers<br>Product name  | :           | 1-Propanol   |
|-----|--|-------------|--|
|     | Product Number<br>Brand<br>Index-No.   | :<br>:<br>: | 402893<br>Sigma-Aldrich<br>603-003-00-0                            |
|     | CAS-No.  | :           | 71-23-8  |
| 1.2 | 2 Relevant identified uses of the substance or mixture and uses advised agains |             |  |
|     | Identified uses  | :           | Laboratory chemicals, Manufacture of substances                    |
| 1.3 | Details of the supplier of the   | ne s        | safety data sheet  |
|     | Company  | :           | Sigma-Aldrich<br>3050 Spruce Street<br>SAINT LOUIS MO 63103<br>USA |
|     | Telephone<br>Fax   | :           | +1 800-325-5832<br>+1 800-325-5052                                 |
| 4.4 | Emorgonov tolonhono num  |             |  |

#### 1.4 Emergency telephone number

| Emergency Phone # | : ( | (314) | 776-6555 |
|-------------------|-----|-------|----------|
|-------------------|-----|-------|----------|

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Danger

Flammable liquids (Category 2), H225 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



| Signal word  | Danger  |
|--|---|
| Hazard statement(s)<br>H225<br>H318<br>H336  | Highly flammable liquid and vapour.<br>Causes serious eye damage.<br>May cause drowsiness or dizziness.   |
| Precautionary statement(s)<br>P210<br>P233<br>P240<br>P241<br>P242<br>P243<br>P261 | Keep away from heat/sparks/open flames/hot surfaces No smoking.<br>Keep container tightly closed.<br>Ground/bond container and receiving equipment.<br>Use explosion-proof electrical/ ventilating/ lighting/ equipment.<br>Use only non-sparking tools.<br>Take precautionary measures against static discharge.<br>Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. |

| P271               | Use only outdoors or in a well-ventilated area.  |
|--------------------|--|
| P280               | Wear protective gloves/ protective clothing/ eye protection/ face protection.  |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.                     |
| P304 + P340        | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310               | Immediately call a POISON CENTER or doctor/ physician.   |
| P370 + P378        | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  |
| P403 + P233        | Store in a well-ventilated place. Keep container tightly closed.   |
| P403 + P235        | Store in a well-ventilated place. Keep cool.   |
| P405               | Store locked up.   |
| P501               | Dispose of contents/ container to an approved waste disposal plant.  |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

. . . .

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

| Synonyms            | : Propyl alcohol                  |
|---------------------|-----------------------------------|
| Formula             | : C <sub>3</sub> H <sub>8</sub> O |
| Molecular weight    | : 60.10 g/mol                     |
| CAS-No.             | : 71-23-8                         |
| EC-No.              | : 200-746-9                       |
| Index-No.           | : 603-003-00-0                    |
| Registration number | : 01-2119486761-29-XXXX           |
|                     |                                   |

#### Hazardous components

| Component  | Classification  | Concentration |
|------------|---|---------------|
| n-Propanol |   |               |
|            | Flam. Liq. 2; Eye Dam. 1;<br>STOT SE 3; H225, H318,<br>H336 | <= 100 %      |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **4. FIRST AID MEASURES**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides

### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

| Component  | CAS-No. | Value  | Control parameters | Basis                                      |
|------------|---------|--|--------------------|--|
| n-Propanol | 71-23-8 | TWA  | 100 ppm            | USA. ACGIH Threshold Limit Values (TLV)    |
|            | Remarks | Upper Respiratory Tract irritation<br>Eye irritation<br>Not classifiable as a human carcinogen |                    |  |
|            |         | TWA  | 100.000000<br>ppm  | USA. ACGIH Threshold Limit Values<br>(TLV) |
|            |         | Upper Respiratory Tract irritation<br>Eye irritation   |                    |  |

| Not classifiable as a human carcinogen |                   |                                   |
|--|-------------------|-----------------------------------|
| TWA                                    | 200.000000        | USA. Occupational Exposure Limits |
|  | ppm               | (OSHA) - Table Z-1 Limits for Air |
|  | 500.000000        | Contaminants                      |
|  | mg/m3             |                                   |
| The value in                           | mg/m3 is approxin |                                   |
| TWA                                    | 200.000000        | USA. NIOSH Recommended            |
|  | ppm               | Exposure Limits                   |
|  | 500.000000        |                                   |
|  | mg/m3             |                                   |
| Potential for                          | dermal absorption |                                   |
| ST                                     | 250.000000        | USA. NIOSH Recommended            |
|  | ppm               | Exposure Limits                   |
|  | 625.000000        |                                   |
|  | mg/m3             |                                   |
| Potential for                          | dermal absorption |                                   |

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: > 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 30 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

| a)  | Appearance   | Form: clear, liquid<br>Colour: colourless                           |
|-----|--|---|
| b)  | Odour  | No data available   |
| c)  | Odour Threshold                                    | No data available   |
| d)  | рН   | 8.5 at 200 g/l at 20 °C (68 °F)                                     |
| e)  | Melting point/freezing<br>point                    | Melting point/range: -127 °C (-197 °F) - lit.                       |
| f)  | Initial boiling point and boiling range            | 97 °C (207 °F) - lit.   |
| g)  | Flash point  | 22 °C (72 °F) - closed cup  |
| h)  | Evaporation rate                                   | 1   |
| i)  | Flammability (solid, gas)                          | No data available   |
| j)  | Upper/lower<br>flammability or<br>explosive limits | Upper explosion limit: 13.7 %(V)<br>Lower explosion limit: 2.1 %(V) |
| k)  | Vapour pressure                                    | 19.3 hPa (14.5 mmHg) at 20 °C (68 °F)                               |
| I)  | Vapour density                                     | 2.07 - (Air = 1.0)  |
| m)  | Relative density                                   | 0.804 g/cm3 at 25 °C (77 °F)  |
| n)  | Water solubility                                   | completely soluble  |
| o)  | Partition coefficient: n-<br>octanol/water         | log Pow: 0.25 - 0.34  |
| p)  | Auto-ignition<br>temperature                       | No data available   |
| q)  | Decomposition<br>temperature                       | No data available   |
| r)  | Viscosity  | No data available   |
| s)  | Explosive properties                               | No data available   |
| t)  | Oxidizing properties                               | No data available   |
| Oth | er safety information                              |   |
|     | Relative vapour density                            | 2.07 - (Air = 1.0)  |
|     |  |   |

# **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

9.2

- No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.

# **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.

# **10.4 Conditions to avoid** Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### **10.5** Incompatible materials Strong oxidizing agents

**10.6 Hazardous decomposition products** Other decomposition products - No data available Sigma-Aldrich - 402893

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 8,038 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 1 h - 20000 ppm

LC50 Dermal - Rabbit - 4,000 mg/kg (OECD Test Guideline 402)

No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig Result: Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

**Specific target organ toxicity - single exposure** May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

# **Additional Information**

RTECS: UH8225000

Central nervous system depression, prolonged or repeated exposure can cause:, narcosis, Skin irritation

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

## **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish Sigma-Aldrich - 402893 LC50 - Pimephales promelas (fathead minnow) - 4,555 mg/l - 96 h

(OECD Test Guideline 203)

| Toxicity to daphnia and | EC50 - Daphnia magna (Water flea) - 3,642 mg/l - 48 h |
|-------------------------|---|
| other aquatic           | (DIN 38412)   |
| invertebrates           |   |
|                         |   |

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 9.170 mg/l - 48 h

#### 12.2 Persistence and degradability

Biodegradability Result: 75 % - Readily biodegradable Ratio BOD/ThBOD < 2%

#### 12.3 Bioaccumulative potential

The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

12.4 Mobility in soil No data available

#### Results of PBT and vPvB assessment 12.5 PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of as unused product.

### **14. TRANSPORT INFORMATION**

# 

| UN number: 1274<br>Proper shipping nam                | Class: 3<br>e: n-Propanol | Packing group: II |                  |  |
|---|---------------------------|-------------------|------------------|--|
| Poison Inhalation Ha                                  | zard: No                  |                   |                  |  |
| <b>IMDG</b><br>UN number: 1274<br>Proper shipping nam | Class: 3<br>e: n-PROPANOL | Packing group: II | EMS-No: F-E, S-D |  |
| <b>IATA</b><br>UN number: 1274                        | Class: 3                  | Packing group: II |                  |  |

Proper shipping name: n-Propanol

#### ig g

### 15. REGULATORY INFORMATION

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

|                        | CAS-No. | Revision Date |
|------------------------|---------|---------------|
| n-Propanol             | 71-23-8 | 1993-04-24    |
| Sigma-Aldrich - 402893 |         |               |

## Pennsylvania Right To Know Components

|                                     | CAS-No. | Revision Date |
|-------------------------------------|---------|---------------|
| n-Propanol                          | 71-23-8 | 1993-04-24    |
| New Jersey Right To Know Components |         |               |
|                                     | CAS-No. | Revision Date |
| n-Propanol                          | 71-23-8 | 1993-04-24    |

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

| Eye Dam.   | Serious eye damage                               |
|------------|--|
| Flam. Liq. | Flammable liquids                                |
| H225       | Highly flammable liquid and vapour.              |
| H318       | Causes serious eye damage.                       |
| H336       | May cause drowsiness or dizziness.               |
| STOT SE    | Specific target organ toxicity - single exposure |

#### **HMIS Rating**

| Health hazard:                | 2      |
|-------------------------------|--------|
| Chronic Health Hazard:        | *      |
| Flammability:                 | 3      |
| Physical Hazard               | 0      |
|                               |        |
| NFPA Rating                   |        |
| NFPA Rating<br>Health hazard: | 2      |
|                               | 2<br>3 |

#### Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.7

Revision Date: 03/04/2015

Print Date: 11/11/2015