Page 1 of 9

# **SAFETY DATA SHEET**

Version 5.13 Revision Date 06/23/2015 Print Date 11/11/2015

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Acetic acid

Product Number : 695092
Brand : Sigma-Aldrich
Index-No. : 607-002-00-6

CAS-No. : 64-19-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

Sigma-Aldrich - 695092

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : Glacial acetic acid

Formula :  $C_2H_4O_2$  Molecular weight : 60.05 g/mol CAS-No. : 64-19-7 EC-No. : 200-580-7 Index-No. : 607-002-00-6

Registration number : 01-2119475328-30-XXXX

# **Hazardous components**

Component	Classification	Concentration
Acetic acid		
	Flam. Liq. 3; Skin Corr. 1A;	<= 100 %
	Eye Dam. 1; H226, H314,	
	H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 695092 Page 2 of 9

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

Storage class (TRGS 510): Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

#### Components with workplace control parameters

our portion to the first of the				
Component	CAS-No.	Value	Control parameters	Basis
Acetic acid	64-19-7	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Pulmonary function Upper Respiratory Tract irritation Eye irritation		

Sigma-Aldrich - 695092 Page 3 of 9

	STEL	15.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Pulmonary function		
	Upper Respiratory Tract irritation		
	Eye irritation		
	ST	15.000000 ppm	USA. NIOSH Recommended
	31	37.000000 ppiii	
			Exposure Limits
	0 - 1 - 6	mg/m3	. ( 5, 00/ ! !
	Can be found in concentrations of 5-8% in vinegar		
	TWA		USA. NIOSH Recommended
		25.000000	Exposure Limits
		mg/m3	
	Can be found in concentrations of 5-8% in vinegar		
	TWA	10.000000 ppm	USA. Occupational Exposure Limits
		25.000000	(OSHA) - Table Z-1 Limits for Air
		mg/m3	Contaminants
	The value in mg/m3 is approximate.		
	TWA	10 ppm	USA. ACGIH Threshold Limit Values
	1 **/ (	то ррии	(TLV)
	Pulmonary fu	inction	
	Upper Respiratory Tract irritation		
	Eye irritation		
	STEL	15 ppm	USA. ACGIH Threshold Limit Values
	0	. С рр	(TLV)
	Pulmonary fu	ınction	
	Upper Respiratory Tract irritation		
	Eye irritation	•	
	TWA	10 ppm	USA. NIOSH Recommended
		25 mg/m3	Exposure Limits
	Can be found		of 5-8% in vinegar
	ST	15 ppm	USA. NIOSH Recommended
	01	37 mg/m3	Exposure Limits
	Can be found		of 5-8% in vinegar
	TWA	10 ppm	USA. Occupational Exposure Limits
	1 4 4 🗸	25 mg/m3	(OSHA) - Table Z-1 Limits for Air
		20 mg/mo	
	<del>_</del> , , ,	/ 0:	Contaminants
	The value in mg/m3 is approximate.		

**Derived No Effect Level (DNEL)** 

Derived NO Lifect Level (DNLL)				
Application Area	Exposure	Health effect	Value	
	routes			
Workers	Inhalation	Acute local effects	25 mg/m3	
Workers	Inhalation	Long-term local effects	25 mg/m3	
Workers	Skin contact	Long-term local effects	10mg/kg BW/d	
Consumers	Inhalation	Acute local effects	25 mg/m3	
Consumers	Inhalation	Long-term local effects	25 mg/m3	

# **Predicted No Effect Concentration (PNEC)**

Compartment	Value	
Soil	0.478 mg/kg	
Marine water	0.3058 mg/l	
Fresh water	3.058 mg/l	
Marine sediment	1.136 mg/kg	
Fresh water sediment	11.36 mg/kg	
Sewage treatment plant	85 mg/l	
Aquatic intermittent release	30.58 mg/l	

Sigma-Aldrich - 695092 Page 4 of 9

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 32 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour pungent

c) Odour Threshold No data availabled) pH 2.4 at 60.05 g/l

e) Melting point/freezing

point

Melting point/range: 16.2 °C (61.2 °F) - lit.

f) Initial boiling point and

boiling range

117 - 118 °C (243 - 244 °F) - lit.

g) Flash point 40.0 °C (104.0 °F) - closed cup

Sigma-Aldrich - 695092 Page 5 of 9

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 19.9 %(V) flammability or Lower explosion limit: 4 %(V)

explosive limits

k) Vapour pressure 73.3 hPa (55.0 mmHg) at 50.0 °C (122.0 °F) 15.2 hPa (11.4 mmHg) at 20.0 °C (68.0 °F)

I) Vapour density No data available

m) Relative density 1.049 g/cm3 at 25 °C (77 °F)

n) Water solubility completely miscible

o) Partition coefficient: n-

octanol/water

log Pow: -0.17

p) Auto-ignition 485.0 °C (905.0 °F) temperature

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Surface tension 28.8 mN/m at 10.0 °C (50.0 °F)

### 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Oxidizing agents, Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, permanganates, e.g. potassium permanganate, Amines, Alcohols, Nitric acid

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 3,310 mg/kg

LC50 Inhalation - Mouse - 1 h - 5620 ppm

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Conjunctive irritation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Other. Blood: Other changes.

LC50 Inhalation - Rat - 4 h - 11.4 mg/l

LD50 Dermal - Rabbit - 1,112 mg/kg

Sigma-Aldrich - 695092 Page 6 of 9

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive to eyes

### Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: AF1225000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 1,000 mg/l -

96 h

(OECD Test Guideline 203)

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - > 300.82 mg/l - 48 h

Sigma-Aldrich - 695092 Page 7 of 9

other aquatic (OECD Test Guideline 202)

invertebrates

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 30 d

Result: 99 % - Readily biodegradable Remarks: Expected to be biodegradable

Biochemical Oxygen

880 mg/g

Demand (BOD)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Additional ecological

No data available

information

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2789 Class: 8 (3) Packing group: II

Proper shipping name: Acetic acid. glacial

Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2789 Class: 8 (3) Packing group: II EMS-No: F-E, S-C

Proper shipping name: ACETIC ACID, GLACIAL

**IATA** 

UN number: 2789 Class: 8 (3) Packing group: II

Proper shipping name: Acetic acid, glacial

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Massachusetts Right To Know Components**

CAS-No. Revision Date Acetic acid 64-19-7 1993-04-24

### **Pennsylvania Right To Know Components**

Sigma-Aldrich - 695092 Page 8 of 9

CAS-No. Revision Date Acetic acid 64-19-7 1993-04-24

**New Jersey Right To Know Components** 

Acetic acid CAS-No. Revision Date 64-19-7 1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Eye Dam. Serious eye damage Flam. Lig. Flammable liquids

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Skin Corr. Skin corrosion

# **HMIS Rating**

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 2
Physical Hazard 0

# **NFPA Rating**

Health hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0
Health hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.13 Revision Date: 06/23/2015 Print Date: 11/11/2015

Sigma-Aldrich - 695092 Page 9 of 9